## **Listing of Claims:**

The following listing of claims replaces all previous listings or versions thereof:

- 1. (currently amended) An isolated and purified polynucleotide comprising a nucleic acid sequence encoding [a WWOX polypeptide,] at least 20 contiguous amino acid residues of SEQ ID NO:2.
- 2. (currently amended) The polynucleotide of claim 1, comprising a nucleic acid sequence encoding at least 90% of amino acids identical to SEQ ID NO:2.
- 3. (Withdrawn) The polynucleotide of claim 1, comprising a nucleic acid sequence encoding SEQ ID NO:31.
- 4. (Withdrawn) The polynucleotide of claim 1, comprising a nucleic acid sequence encoding SEQ ID NO:33.
- 5. (currently amended) The polynucleotide of claim 2, comprising a nucleic acid sequence that is at least 99% identical to SEQ ID NO:1.
- 6. (Withdrawn) The polynucleotide of claim 2, comprising SEQ ID NO:30.
- 7. (Withdrawn) The polynucleotide of claim 2, comprising SEQ ID NO:32.
- 8. (Original) The polynucleotide of claim 1, comprising a nucleic acid sequence encoding at least 50 contiguous amino acid residues of SEQ ID NO:2.
- 9. (Original) The polynucleotide of claim 8, comprising a nucleic acid sequence encoding at least 150 contiguous amino acid residues of SEQ ID NO:2.
- 10. (Original) The polynucleotide of claim 1, comprising at least 1.5 contiguous kilobases of SEQ ID NO:1.

- 11. (currently amended) An expression vector comprising a nucleic acid sequence encoding a [WWOX] polypeptide wherein the vector comprises a nucleic acid sequence encoding at least 20 contiguous amino acid residues of SEQ ID NO:2.
- 12. (currently amended) The expression vector of claim 11, wherein the nucleic acid sequence encodes at least 90% of amino acids identical to SEQ ID NO:2.
- 13. (Withdrawn) The expression vector of claim 11, wherein the nucleic acid sequence encodes SEQ ID NO:31.
- 14. (Withdrawn) The expression vector of claim 11, wherein the nucleic acid sequence encodes SEQ ID NO:33.
- 15. (currently amended) The expression vector of claim 11, wherein the nucleic acid sequence comprises a nucleic acid sequence that is at least 99% identical to SEQ ID NO:1.
- 16. (Withdrawn) The expression vector of claim 11, wherein the nucleic acid sequence comprises SEQ ID NO:30.
- 17. (Withdrawn) The expression vector of claim 11, wherein the nucleic acid sequence comprises SEQ ID NO:32.
- 18. (Original) The expression vector of claim 11, wherein the nucleic acid sequence comprises at least 1.5 contiguous kilobases of SEQ ID NO:1.
- 19. (Original) The expression vector of claim 18, wherein the nucleic acid sequence encodes at least 50 contiguous amino acids of SEQ ID NO:2.

- 20. (currently amended) The expression vector of claim 11, wherein the nucleic acid sequence further comprises a promoter operably linked to the <u>polypeptide[WWOX]-encoding</u> nucleic acid sequence.
- 21. (Original) The expression vector of claim 20, wherein the promoter is heterologous.
- 22. (Original) The expression vector of claim 20, wherein the promoter is a constitutive promoter, a tissue-specific promoter, an inducible promoter, or a noninducible promoter.
- 23. (Original) The expression vector of claim 11, wherein the expression vector is a viral vector.
- 24. (Original) The expression vector of claim 23, wherein the viral vector is a vaccinia virus, adenovirus, herpesvirus, retrovirus, cytomegalovirus, or adeno-associated virus.
- 25. (currently amended) A recombinant host cell comprising a nucleic acid sequence encoding [a WWOX polypeptide,] at least 20 contiguous amino acid residues of SEQ ID NO:2.
- 26. (currently amended) The recombinant host cell of claim 25, wherein the polypeptide comprises at least 90% of amino acids identical to SEQ ID NO:2.
- 27. (Withdrawn) The recombinant host cell of claim 25, wherein the polypeptide comprises SEQ ID NO:31.
- 28. (Withdrawn) The recombinant host cell of claim 25, wherein the polypeptide comprises SEQ ID NO:33.
- 29. (currently amended) The recombinant host cell of claim 25, wherein the nucleic acid sequence comprises a nucleic acid sequence that is at least 99% identical to SEQ ID NO:1.
- 30. (Withdrawn) The recombinant host cell of claim 25, wherein the nucleic acid sequence comprises SEQ ID NO:30.

- 31. (Withdrawn) The recombinant host cell of claim 25, wherein the nucleic acid sequence comprises SEQ ID NO:32.
- 32. (currently amended) A method of preparing <u>a</u>recombinant [WWOX] <u>polypeptide</u> comprising:
  - (a) transfecting a cell with a polynucleotide comprising a nucleic acid sequence encoding encoding at least 20 contiguous amino acid residues of SEQ ID NO:2 [a WWOX polypeptide] to produce a transformed host cell; and
  - (b) maintaining the transformed host cell under biological conditions sufficient for expression of the [WWOX] polypeptide in the host cell.
- 33. (currently amended) The method of claim 32, wherein the nucleic acid sequence encodes at least 90% of amino acids identical to SEQ ID NO:2.
- 34. (Withdrawn) The method of claim 32, wherein the nucleic acid sequence encodes SEQ ID NO:31.
- 35. (Withdrawn) The method of claim 32, wherein the nucleic acid sequence encodes SEQ ID NO:33.
- 36. (currently amended) The method of claim 32, wherein the nucleic acid sequence comprises a nucleic acid sequence that is at least 99% identical to SEQ ID NO:1.
- 37. (withdrawn) The method of claim 32, wherein the nucleic acid sequence comprises SEQ ID NO:30.
- 38. (withdrawn) The method of claim 32, wherein the nucleic acid sequence comprises SEQ ID NO:32.
- 39. (Original) The method of claim 32, wherein the polynucleotide is comprised in a vector.

- 40. (withdrawn) A method of treating a pre-cancer or cancer cell comprising providing to the cell an amount of a WWOX polypeptide effective to induce apoptosis in the cell.
- 41. (withdrawn) The method of claim 40, wherein the WWOX polypeptide is provided to the cell by administering an expression vector comprising a polynucleotide encoding a WWOX polypeptide under the transcriptional control of a promoter.
- 42. (withdrawn) The method of claim 40, wherein the cell is a bladder, blood, bone, bone marrow, brain, breast, central nervous system, colon, esophagus, gastrointestine, head, kidney, liver, lung, nasopharynx, neck, ovary, prostate, skin, stomach, or uterus cell.
- 43. (withdrawn) The method of claim 40, wherein the expression vector comprises a viral vector.
- 44. (withdrawn) A method of treating a subject having a hyperproliferative condition comprising contacting a cell within the subject with an expression vector comprising a polynucleotide encoding an WWOX polypeptide under the transcriptional control of a promoter, wherein expression of the WWOX polypeptide confers a therapeutic benefit on the subject.
- 45. (withdrawn) The method of claim 44, wherein the cell is a cancer or pre-cancer cell.
- 46. (withdrawn) The method of claim 44, wherein the cell is involved with restenosis, primary psoriasis, angiogenesis, rheumatoid arthritis, inflammatory bowel disease, psoriasis, eczema, secondary cataracts, or bronchial dysplasia.
- 47. (withdrawn) The method of claim 45, wherein the cancer or pre-cancer cell is selected from a group consisting of a bladder, blood, bone, bone marrow, brain, breast, colon, esophagus, gastrointestine, head, kidney, liver, lung, nasopharynx, neck, ovary, prostate, skin, stomach, and uterus cell.

- 48. (withdrawn) The method of claim 45, wherein the cancer or pre-cancer cell is derived from or is part of a solid tumor.
- 49. (withdrawn) The method of claim 44, wherein the contacting occurs in vitro.
- 50. (withdrawn) The method of claim 44, wherein the contacting occurs in vivo.
- 51. (withdrawn) The method of claim 44, wherein the expression vector is delivered endoscopically, intravenously, intralesionally, percutaneously, or subcutaneously.
- 52. (withdrawn) The method of claim 48, wherein the expression vector is delivered by direct injection into the tumor.
- 53. (withdrawn) The method of claim 44, wherein the expression vector comprises a viral vector.
- 54. (withdrawn) The method of claim 53, wherein the viral vector a vaccinia virus, adenovirus, herpesvirus, retrovirus, cytomegalovirus, or adeno-associated virus.
- 55. (withdrawn) The method of claim 44, wherein the contacting is performed at least twice.
- 56. (withdrawn) The method of claim 55, wherein the second contacting follows the first by a period of about one day to one year.
- 57. (withdrawn) The method of claim 48, further comprising contacting the tumor with an anticancer therapy.
- 58. (withdrawn) The method of claim 57, wherein the anticancer treatment is chemotherapy, immunotherapy, surgery, radiotherapy, gene therapy with a second therapeutic

polynucleotide other than a polynucleotide encoding the WWOX polypeptide, or other biotherapy.

- 59. (withdrawn) The method of claim 57, wherein the expression vector is contacted with the tumor prior to, at the same time as, or after contacting with the anticancer treatment.
- 60. (withdrawn) The method of claim 44, wherein the endogenous WWOX polypeptide of the cancer cell is mutated.
- 61. (withdrawn) A method for detecting the susceptibility of an individual to a certain cancer comprising;
  - (i) obtaining DNA from an individual;
  - (ii) obtaining probes specific to WWOX; and
  - (ii) identifying a change in the WWOX gene and/or gene products.
- 62. (withdrawn) The method of claim 61, wherein the identifying comprises amplification.
- 63. (withdrawn) The method of claim 62, wherein the probes encode nucleic acid primers.
- 64. (withdrawn) The method of claim 61, wherein the change is a mutation of WWOX.
- 65. (withdrawn) The method of claim 61, wherein the change is a increase in the amount of a WWOX gene product.
- 66. (withdrawn) The method of claim 61, wherein the change is a decrease in the amount of a WWOX gene product.
- 67. (withdrawn) The method of claim 61, wherein the DNA is genomic DNA.
- 68. (withdrawn) The method of claim 67, wherein the genomic DNA is chromosomal DNA.

- 69. (withdrawn) The method of claim 68, wherein the identifying comprises fluorescent *in situ* hybridization.
- 70. (withdrawn) The method of claim 69, wherein the probes encode nucleic acids spanning the WWOX chromosomal locus.
- 71. (withdrawn) The method of claim 70, wherein the probes further comprise a fluorescent detection moiety.
- 72. (withdrawn) The method of claim 61, wherein the cancer is multiple myeloma.
- 73. (withdrawn) The method of claim 61, wherein the cancer is breast cancer.
- 74. (new) The polynucleotide of claim 2, comprising a nucleic acid sequence encoding SEQ ID NO:2.
- 75. (new) The polynucleotide of claim 5, comprising SEQ ID NO:1.
- 76. (new) The expression vector of claim 12, wherein the nucleic acid sequence encodes SEQ ID NO:2.
- 77. (new) The expression vector of claim 15, wherein the nucleic acid sequence comprises SEQ ID NO:1.
- 78. (new) The recombinant host cell of claim 26, wherein the polypeptide comprises SEQ ID NO:2.
- 79. (new) The recombinant host cell of claim 29, wherein the nucleic acid sequence comprises SEQ ID NO:1.

80. (new) The method of claim 33, wherein the nucleic acid sequence encodes SEQ ID NO:2.

81. (new) The method of claim 36, wherein the nucleic acid sequence comprises SEQ ID NO:1.